EASY felt.

Product sheet
Panel 12 mm

About the product
EASYfelt Panel 12 mm are individual acoustic panels available in 18 colours. And in three standard sizes, but customisation is also possible on request! The PET felt panels are also available as a basic panel with or without self-adhesive backing. Possible with facet edge and straight edge.

Material
Pressed PET felt of which at least 50% consists of recycled material. Also recyclable.

Size
Three standard sizes:
• 118 x 55 cm
• 278 x 118 cm
• 280 x 120 cm

Would you like a different size? No problem, contact us for the possibilities.

Fire safety
The felt panels have been tested in accordance with EN-13501 and meet fire class B-s1, do.

Acoustic PET felt solutions for all purposes!
EASYfelt is specialised in PET felt solutions. We offer various decorative solutions.

Panel 12 mm

Measurement data
Measured in a reverberation chamber at TU Delft (Delft University of Technology) in collaboration with Cauberg-Huygen.

The absorption values are measured according to NEN-EN-ISO 354:2003.

Legend:
- 12 mm pet felt without cavity
- 12 mm pet felt with a 12mm cavity
- 12 mm petvilt with a 25mm cavity

X-axis: Frequency [Hz]
Y-axis: Absorption value

EASY felt.

Colour overview
PET felt 12 mm

Apple	Black	Carrot	Citrus	Comfort White	Creme	Green Field	Hay	Ice
Marine	Misty Grey	Ocher	Rock	Sea Blue	Shade	Sky	Stone	Thunder